



ABOUT SHRINK WRAP

Shrink Wrap is suited for heavy-duty applications where excellent two directional shrink properties and toughness is required.

Our Shrink Wrap is formulated from premium grade polyethylene, UV inhibitors, and other additives which are designed to resist degradation due to sunlight, rain, chemicals and heat.



Shrink-Wrap is manufactured to the highest QC standards and is backed by a proven track record of success.

Due to its multitasking applications it does cover various sectors like Industrial ,Disaster management, Agricultural sector , Marine Line sector , Electrical and electronics sectors , Oil and Gas industry , Automobile , Pharmaceutical , Construction etc.



SHRINK WRAP BENIFITS

- Complete protection against weather damage.
- Easy application .
- Shrink wrap will not chafe or damage covered products
- Eliminate moisture and mildew problems.
- Zipper access doors .
- Shrink wrap is cost effective.
- **Shrink film offers** a complete package that simplifies and helps eliminate the problems typically associated with shipping and storage protection on all size products.

GULMOHAR

Shrink wrap film is formulated from premium grade polyethylene, UV inhibitors, and other additives which are designed to resist degradation due to sunlight, rain, chemicals, and heat. It is suited for heavy-duty applications where excellent two directional shrink properties and toughness is required.

Test Description	Method	Units	Nominal** Value					
Thickness	ASTM D1593*	mil	6	7	8	9	10	12
Weatherability	ASTM G53	Hours	1000+	1000+	1000+	1000+	1000+	1000+
Shrink Temperature	ASTM D2732	Deg F	275	275	275	275	275	275
<u>Tensile Properties</u>								
Yield (md)	ASTM D882	psi	1450	1450	1450	1450	1450	1450
(cd)		psi	1300	1300	1300	1300	1300	1300
Break (md)	ASTM D882	psi	3000	3000	3000	3000	3000	3000
(cd)		psi	3000	3000	3000	3000	3000	3000
Elongation (md)	ASTM D882	%	650	675	700	725	750	775
(cd)		%	750	775	8000	825	850	850
Elmendorf Tear (md)	ASTM D1922	grams	750	900	1100	1350	1700	1900
(cd)		grams	1400	1600	1750	2050	2400	2600
Dart Impact	ASTM D1709	grams	750	825	900	925	1000	1050





Forbes Marshall



Suzlon Blade Packing



Alfa Laval-Tank pack



GE



GE-Vessel & tanks



ThyssenKrupp



Atlas Copco - Nasik



Suzion - Nacelle Pack





WMI Konecrane



Thermax Beam Packing



Konecrane Girder



GE skid Packing



ZF wind turbine Gear Box



Konecrane Trolly



ATS conveyor





THERMAX











BBM Acoustic : Linde Project



GE









Forbes Marshall



KIRLOSKAR CHILLERS









TPI COMPOSITES



Schneider Electric – L& T automation

















ALSTOM











EPIROC -- NASIK







Thank You....!

Gulmohar Pack-Tech India Pvt. Ltd.

- Sr. No. 80/11, Plot No. 1,2,3, Gulmohar Tech-Park, Bhosari Alandi Road, Dighi Magzine Chowk, Behind Pragati Hotel, Pune 412 105
- ankush@gulmoharlashpack.com
- www.gulmoharpacktech.in